

メートルねじ用イリサート

イリサートSUS303

材質	呼び径	ピッチ	全長	型番	外径雄ネジ
SUS303 ROHS対応	M1.4	0.3	2.0	M1.4 × 2 -SUS303	M2.6 × P0.45
			2.5	M1.4 × 2.5 -SUS303	
			3.0	M1.4 × 3 -SUS303	
	M1.6	0.35	2.0	M1.6 × 2 -SUS303	M2.6 × P0.45
			2.5	M1.6 × 2.5 -SUS303	
			3.0	M1.6 × 3 -SUS303	
	M1.7	0.35	2.0	M1.7 × 2 -SUS303	M3 × P0.5
			2.5	M1.7 × 2.5 -SUS303	
			3.0	M1.7 × 3 -SUS303	
	M2	0.4	2.0	M2 × 2 -SUS303	M3 × P0.5
			2.5	M2 × 2.5 -SUS303	
			3.0	M2 × 3 -SUS303	
			3.5	M2 × 3.5 -SUS303	
			4.0	M2 × 4 -SUS303	
			5.0	M2 × 5 -SUS303	
	M2.3	0.4	2.0	M2.3 × 2 -SUS303	M4 × P0.5
			2.5	M2.3 × 2.5 -SUS303	
			3.0	M2.3 × 3 -SUS303	
	M2.5	0.45	2.0	M2.5 × 2 -SUS303	M4 × P0.5
			2.5	M2.5 × 2.5 -SUS303	
			3.0	M2.5 × 3 -SUS303	
			3.5	M2.5 × 3.5 -SUS303	
			4.0	M2.5 × 4 -SUS303	
			4.5	M2.5 × 4.5 -SUS303	
	M2.6	0.45	2.0	M2.6 × 2 -SUS303	M4 × P0.5
			2.5	M2.6 × 2.5 -SUS303	
			3.0	M2.6 × 3 -SUS303	
			3.5	M2.6 × 3.5 -SUS303	
			4.0	M2.6 × 4 -SUS303	
			4.5	M2.6 × 4.5 -SUS303	
	M3	0.5	5.0	M2.6 × 5 -SUS303	M4 × P0.5
			2.0	M3 × 2 -SUS303	
			2.5	M3 × 2.5 -SUS303	
			3.0	M3 × 3 -SUS303	
			3.5	M3 × 3.5 -SUS303	
			4.0	M3 × 4 -SUS303	
			4.5	M3 × 4.5 -SUS303	
			5.0	M3 × 5 -SUS303	
			5.5	M3 × 5.5 -SUS303	
			6.0	M3 × 6 -SUS303	
			9.0	M3 × 9 -SUS303	

イリサート型番の読み方

『例』 M4 × 6 (6mm)

- SUS303 ステンレスSUS303
- E 黄銅+ニッケルメッキ
- SUS303 SW SUS303 スリワリ付
- E SW 黄銅+ニッケルメッキ スリワリ付

材質	呼び径	ピッチ	全長	型番	外径雄ネジ
SUS303 ROHS対応	M4	0.7	2.0	M4 × 2 -SUS303	M5 × P0.5
			2.5	M4 × 2.5 -SUS303	
			3.0	M4 × 3 -SUS303	
			3.5	M4 × 3.5 -SUS303	
			4.0	M4 × 4 -SUS303	
			4.5	M4 × 4.5 -SUS303	
			5.0	M4 × 5 -SUS303	
			5.5	M4 × 5.5 -SUS303	
			6.0	M4 × 6 -SUS303	
			7.0	M4 × 7 -SUS303	
	M5	0.8	8.0	M4 × 8 -SUS303	M6 × P0.5
			9.0	M4 × 9 -SUS303	
			10.0	M4 × 10 -SUS303	
			5.0	M5 × 5 -SUS303	
			6.0	M5 × 6 -SUS303	
			7.0	M5 × 7 -SUS303	
			7.5	M5 × 7.5 -SUS303	
			8.0	M5 × 8 -SUS303	
			9.0	M5 × 9 -SUS303	
			10.0	M5 × 10 -SUS303	
	M6	1	11.0	M5 × 11 -SUS303	M8 × P0.75
			12.0	M5 × 12 -SUS303	
			5.0	M6 × 5 -SUS303	
			6.0	M6 × 6 -SUS303	
			7.0	M6 × 7 -SUS303	
			8.0	M6 × 8 -SUS303	
	M8	1.25	9.0	M6 × 9 -SUS303	M10 × P1.0
			10.0	M6 × 10 -SUS303	
			11.0	M6 × 11 -SUS303	
			12.0	M6 × 12 -SUS303	
			8.0	M8 × 8 -SUS303	
			9.0	M8 × 9 -SUS303	
	M10	1.5	10.0	M8 × 10 -SUS303	M12 × P1.0
			11.0	M8 × 11 -SUS303	
			12.0	M8 × 12 -SUS303	
			16.0	M8 × 16 -SUS303	
			10.0	M10 × 10 -SUS303	
			15.0	M10 × 15 -SUS303	
			20.0	M10 × 20 -SUS303	

メートルねじ用

イリサート黄銅C3604+Niメッキ

材質	呼び径	ピッチ	全長	型番	外径雄ネジ
黄銅 C3604 ROHS 対応	M1.4	0.3	2.0	M1.4 × 2 -E	M2.6 × P0.45
			2.5	M1.4 × 2.5 -E	
			3.0	M1.4 × 3 -E	
	M1.6	0.35	2.0	M1.6 × 2 -E	M2.6 × P0.45
			2.5	M1.6 × 2.5 -E	
			3.0	M1.6 × 3 -E	
	M1.7	0.35	2.0	M1.7 × 2 -E	M3 × P0.5
			2.5	M1.7 × 2.5 -E	
			3.0	M1.7 × 3 -E	
	M2	0.4	2.0	M2 × 2 -E	M3 × P0.5
			2.5	M2 × 2.5 -E	
			3.0	M2 × 3 -E	
			3.5	M2 × 3.5 -E	
			4.0	M2 × 4 -E	
			5.0	M2 × 5 -E	
	M2.3	0.4	2.0	M2.3 × 2 -E	M4 × P0.5
			2.5	M2.3 × 2.5 -E	
			3.0	M2.3 × 3 -E	
	M2.5	0.45	2.0	M2.5 × 2 -E	M4 × P0.5
			2.5	M2.5 × 2.5 -E	
			3.0	M2.5 × 3 -E	
			3.5	M2.5 × 3.5 -E	
			4.0	M2.5 × 4 -E	
			4.5	M2.5 × 4.5 -E	
	M2.6	0.45	2.0	M2.6 × 2 -E	M4 × P0.5
			2.5	M2.6 × 2.5 -E	
			3.0	M2.6 × 3 -E	
			3.5	M2.6 × 3.5 -E	
			4.0	M2.6 × 4 -E	
			4.5	M2.6 × 4.5 -E	
	M3	0.5	5.0	M2.6 × 5 -E	M4 × P0.5
			2.0	M3 × 2 -E	
			2.5	M3 × 2.5 -E	
			3.0	M3 × 3 -E	
			3.5	M3 × 3.5 -E	
			4.0	M3 × 4 -E	
			4.5	M3 × 4.5 -E	
			5.0	M3 × 5 -E	
			5.5	M3 × 5.5 -E	
			6.0	M3 × 6 -E	
			9.0	M3 × 9 -E	

イリサート型番の読み方

『例』					
M4	×	6	(6mm)		
				SUS303	ステンレスSUS303
				E	黄銅+ニッケルメッキ
				SUS303 SW	SUS303 スリフリ付
				E SW	黄銅+ニッケルメッキ スリフリ付

材質	呼び径	ピッチ	全長	型番	外径雄ネジ
黄銅 C3604 ROHS 対応	M4	0.7	2.0	M4 × 2 -E	M5 × P0.5
			2.5	M4 × 2.5 -E	
			3.0	M4 × 3 -E	
			3.5	M4 × 3.5 -E	
			4.0	M4 × 4 -E	
			4.5	M4 × 4.5 -E	
			5.0	M4 × 5 -E	
			5.5	M4 × 5.5 -E	
			6.0	M4 × 6 -E	
			7.0	M4 × 7 -E	
	M5	0.8	8.0	M4 × 8 -E	M6 × P0.5
			9.0	M4 × 9 -E	
			10.0	M4 × 10 -E	
			5.0	M5 × 5 -E	
			6.0	M5 × 6 -E	
			7.0	M5 × 7 -E	
			7.5	M5 × 7.5 -E	
			8.0	M5 × 8 -E	
			9.0	M5 × 9 -E	
			10.0	M5 × 10 -E	
	M6	1	11.0	M5 × 11 -E	M8 × P0.75
			12.0	M5 × 12 -E	
			5.0	M6 × 5 -E	
			6.0	M6 × 6 -E	
			7.0	M6 × 7 -E	
			8.0	M6 × 8 -E	
	M8	1.25	9.0	M6 × 9 -E	M10 × P1.0
			10.0	M6 × 10 -E	
			11.0	M6 × 11 -E	
			12.0	M6 × 12 -E	
			8.0	M8 × 8 -E	
			9.0	M8 × 9 -E	
	M10	1.5	10.0	M8 × 10 -E	M12 × P1.0
			11.0	M8 × 11 -E	
			12.0	M8 × 12 -E	
			16.0	M8 × 16 -E	
			10.0	M10 × 10 -E	
			15.0	M10 × 15 -E	
			20.0	M10 × 20 -E	

メートルねじ用

すり割り付きイリサート SUS303

材質	呼び径	ピッチ	全長	型番	外径雄ネジ
SUS303 ROHS 対応	M2.6	0.45	3.0	M2.6 × 3 -SUS303SW	M4 × P0.5
			3.5	M2.6 × 3.5 -SUS303SW	
			4.0	M2.6 × 4 -SUS303SW	
			4.5	M2.6 × 4.5 -SUS303SW	
			5.0	M2.6 × 5 -SUS303SW	
	M3	0.5	3.0	M3 × 3 -SUS303SW	M3 × P0.5
			3.5	M3 × 3.5 -SUS303SW	
			4.0	M3 × 4 -SUS303SW	
			4.5	M3 × 4.5 -SUS303SW	
			5.0	M3 × 5 -SUS303SW	
			5.5	M3 × 5.5 -SUS303SW	
			6.0	M3 × 6 -SUS303SW	
			9.0	M3 × 9 -SUS303SW	
	M4	0.7	3.0	M4 × 3 -SUS303SW	M5 × P0.5
			3.5	M4 × 3.5 -SUS303SW	
			4.0	M4 × 4 -SUS303SW	
			4.5	M4 × 4.5 -SUS303SW	
			5.0	M4 × 5 -SUS303SW	
			5.5	M4 × 5.5 -SUS303SW	
			6.0	M4 × 6 -SUS303SW	
			7.0	M4 × 7 -SUS303SW	
			8.0	M4 × 8 -SUS303SW	
			9.0	M4 × 9 -SUS303SW	
			10.0	M4 × 10 -SUS303SW	
	M5	0.8	5.0	M5 × 5 -SUS303SW	M6 × P0.5
			6.0	M5 × 6 -SUS303SW	
			7.0	M5 × 7 -SUS303SW	
			7.5	M5 × 7.5 -SUS303SW	
			8.0	M5 × 8 -SUS303SW	
			9.0	M5 × 9 -SUS303SW	
			10.0	M5 × 10 -SUS303SW	
			11.0	M5 × 11 -SUS303SW	
			12.0	M5 × 12 -SUS303SW	
	M6	1.0	5.0	M6 × 5 -SUS303SW	M8 × P0.75
			6.0	M6 × 6 -SUS303SW	
			7.0	M6 × 7 -SUS303SW	
			8.0	M6 × 8 -SUS303SW	
			9.0	M6 × 9 -SUS303SW	
			10.0	M6 × 10 -SUS303SW	
			11.0	M6 × 11 -SUS303SW	
			12.0	M6 × 12 -SUS303SW	
	M8	1.25	8.0	M8 × 8 -SUS303SW	M10 × P1.0
			9.0	M8 × 9 -SUS303SW	
			10.0	M8 × 10 -SUS303SW	
			11.0	M8 × 11 -SUS303SW	
			12.0	M8 × 12 -SUS303SW	
			16.0	M8 × 16 -SUS303SW	

メートルねじ用

すり割り付きイリサート 黄銅C3604+Niメッキ

材質	呼び径	ピッチ	全長	型番	外径雄ネジ
黄銅C3604 ROHS 対応	M2.6	0.45	3.0	M2.6 × 3 -ESW	M4 × P0.5
			3.5	M2.6 × 3.5 -ESW	
			4.0	M2.6 × 4 -ESW	
			4.5	M2.6 × 4.5 -ESW	
			5.0	M2.6 × 5 -ESW	
	M3	0.5	3.0	M3 × 3 -ESW	M3 × P0.5
			3.5	M3 × 3.5 -ESW	
			4.0	M3 × 4 -ESW	
			4.5	M3 × 4.5 -ESW	
			5.0	M3 × 5 -ESW	
			5.5	M3 × 5.5 -ESW	
			6.0	M3 × 6 -ESW	
			9.0	M3 × 9 -ESW	
	M4	0.7	3.0	M4 × 3 -ESW	M5 × P0.5
			3.5	M4 × 3.5 -ESW	
			4.0	M4 × 4 -ESW	
			4.5	M4 × 4.5 -ESW	
			5.0	M4 × 5 -ESW	
			5.5	M4 × 5.5 -ESW	
			6.0	M4 × 6 -ESW	
			7.0	M4 × 7 -ESW	
			8.0	M4 × 8 -ESW	
			9.0	M4 × 9 -ESW	
			10.0	M4 × 10 -ESW	
	M5	0.8	5.0	M5 × 5 -ESW	M6 × P0.5
			6.0	M5 × 6 -ESW	
			7.0	M5 × 7 -ESW	
			7.5	M5 × 7.5 -ESW	
			8.0	M5 × 8 -ESW	
			9.0	M5 × 9 -ESW	
			10.0	M5 × 10 -ESW	
			11.0	M5 × 11 -ESW	
			12.0	M5 × 12 -ESW	
	M6	1.0	5.0	M6 × 5 -ESW	M8 × P0.75
			6.0	M6 × 6 -ESW	
			7.0	M6 × 7 -ESW	
			8.0	M6 × 8 -ESW	
			9.0	M6 × 9 -ESW	
			10.0	M6 × 10 -ESW	
			11.0	M6 × 11 -ESW	
			12.0	M6 × 12 -ESW	
	M8	1.25	8.0	M8 × 8 -ESW	M10 × P1.0
			9.0	M8 × 9 -ESW	
			10.0	M8 × 10 -ESW	
			11.0	M8 × 11 -ESW	
			12.0	M8 × 12 -ESW	
			16.0	M8 × 16 -ESW	

ユニファイ UNC

材質	呼び径×ピッチ	全長	型 番	外径雄ネジ
SUS303	U1/4-20	5.0	U1/4 × 5 -SUS303	M8 × P0.75
		6.0	U1/4 × 6 -SUS303	
		9.0	U1/4 × 9 -SUS303	
	U3/8-16	9.5	U3/8 × 9.5 -SUS303	M12 × P1.0
SUS416	U1/4-20	5.0	U1/4 × 5 -S	M8 × P0.75
		6.0	U1/4 × 6 -S	
		9.5	U1/4 × 9 -S	
	U3/8-16	8.0	U3/8 × 8 -S	M12 × P10
		9.5	U3/8 × 9.5 -S	

カメラ三脚用

材質	呼び径×ピッチ	全長	型 番	外径雄ネジ
SUS303	U1/4-20	4.0	U1/4 × 4 -SUS303	M8 × P0.75
		6.0	U1/4 × 6 -SUS303	
		7.0	U1/4 × 7 -SUS303	
	U3/8-16	9.0	U3/8 × 9 -SUS303	M12 × P1.0
		9.5	U3/8 × 9.5 -SUS303	
SUS416	U1/4-20	6.0	U1/4 × 6 -S	M8 × P0.75
		8.0	U1/4 × 8 -S	
	U3/8-16	9.0	U3/8 × 9 -S	M12 × P10
		9.5	U3/8 × 9.5 -S	

☆特注長さのイリサートは御相談下さい。

